



**BECQUEREL LABS INFORMATION FOR
ONT. WATER SAMPLES for HUMAN
CONSUMPTION**

(ODWA samples must have chain of custody submitted along with this)

Lab Sample I.D. _____ Lab Reference Number _____
(for Becquerel use) (for Becquerel use)

Subcontracting Lab: _____

Subcontracting Lab Sample I.D.(s) _____

Subcontracting Lab Reference Number _____

DWS Name _____ DWS # _____

DWS Location _____

DWS Emergency Contact Name _____

DWS Contact Name's Position _____

DWS Emergency Contact Telephone # _____ Fax # _____

DWS Telephone # _____

Local MOH Phone # _____

DWS Field Sample I.D. No. _____

Date/Time Sample Collected _____ Sampler: _____

Sample Type _____ Sampler Signature _____
e.g. raw, treated, distribution

Is this analysis required by a Certificate of Approval: YES NO

Please circle

Parameter(s) to be Analyzed _____

Check here if you want result uncertainty to be reported.

If this water is not for human consumption, sign and date this statement so that we can initiate the analysis:

<p>Sample(s) _____ is not water for human consumption.</p> <p>Signed _____ Date _____</p>

Please see <http://becquerellabs.com/Packages/Ontario-Drinking-Water.html> or contact Steven Simpson for more information